



**DEPARTMENT OF THE ARMY**  
**ST. PAUL DISTRICT, CORPS OF ENGINEERS**  
**332 MINNESOTA STREET, SUITE E1500**  
**ST. PAUL, MN 55101-1678**

December 15, 2023

Regulatory File No. MVP-2023-00607-SSC



Dear [REDACTED]

This letter regards an approved jurisdictional determination for the [REDACTED] located in the New Richland, Minnesota. The project site is in Section 9, Township 105 North, Range 22 West, Waseca County, Minnesota. The review area for our jurisdictional determination is identified as Wetland 1 on the enclosed figures labeled MVP-2023-00607-SSC Pages 1 of 2 through 2 of 2.

The review area consists of Wetland 1, which is not a water of the United States subject to Corps of Engineers (Corps) jurisdiction. Therefore, you are not required to obtain Department of the Army authorization to discharge dredged or fill material within this area. The rationale for this determination is provided in the enclosed Approved Jurisdictional Determination form. This determination is only valid for the review area described.

If you object to this approved jurisdictional determination, you may request an administrative appeal under Corps regulations at 33 CFR 331. Enclosed you will find a Notification of Appeal Process (NAP) fact sheet and Request for Appeal (RFA) form. If you request to appeal this determination, you must submit a completed RFA form to the Mississippi Valley Division Office at the address shown on the form.

In order for an RFA to be accepted by the Corps, the Corps must determine that it is complete, that it meets the criteria for appeal under 33 CFR 331.5, and that it has been received by the Division Office within 60 days of the date of the enclosed NAP. It is not necessary to submit an RFA form to the division office if you do not object to the determination in this letter.

This approved jurisdictional determination may be relied upon for five years from the date of this letter. However, the Corps reserves the right to review and revise the boundary in response to changing site conditions, information that was not considered during our initial review, or off-site activities that could indirectly alter the extent of wetlands and other resources on-site. This determination may be renewed at the end of the five-year period provided you submit a written request and our staff are able to verify that the limits established during the original determination are still accurate.

Regulatory Branch (File No. MVP-2023-00607-SSC)

If you have any questions, please contact me in our St. Paul office at [REDACTED]. In any correspondence or inquiries, please refer to the Regulatory file number shown above.

Sincerely,

[REDACTED]

[REDACTED]

Enclosures

cc:

[REDACTED]

**- Location Map**

MVP-2023-00607-SSC

MVP-2023-00607-SSC  
Page 1 of 2

**Legend**





