

**APPROVED JURISDICTIONAL DETERMINATION FORM**  
**U.S. Army Corps of Engineers**

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

**SECTION I: BACKGROUND INFORMATION**

- A. REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD):** OCT 15 2015
- B. ST PAUL, MN DISTRICT OFFICE, FILE NAME, AND NUMBER:** 2015-03775-LMG (CenterPoint Gas Pipeline)
- C. PROJECT LOCATION AND BACKGROUND INFORMATION:**  
State: Minnesota County/parish/borough: Anoka City: Ham Lake  
Center coordinates of site (lat/long in degree decimal format): Lat. 45.28304° N, Long. -93.19207° W  
Universal Transverse Mercator:  
Name of nearest waterbody: Coon Creek  
Name of watershed or Hydrologic Unit Code (HUC): 07010206  
 Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request.  
 Check if other sites (e.g., offsite mitigation sites, disposal sites, etc...) are associated with this action and are recorded on a different JD form.
- D. REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY):**  
 Office (Desk) Determination. Date: October 14, 2015  
 Field Determination. Date(s):

**SECTION II: SUMMARY OF FINDINGS**

**A. RHA SECTION 10 DETERMINATION OF JURISDICTION.**

There are no "navigable waters of the U.S." within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the review area.

**B. CWA SECTION 404 DETERMINATION OF JURISDICTION.**

There are no "waters of the U.S." within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area.

**SECTION III: CWA ANALYSIS**


- A. TNWs AND WETLANDS ADJACENT TO TNWs:** N/A
- B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WETLANDS (IF ANY):** N/A
- C. SIGNIFICANT NEXUS DETERMINATION:** N/A
- D. DETERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT WATERS/WETLANDS ARE (CHECK ALL THAT APPLY):** N/A
- E. ISOLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WETLANDS, THE USE, DEGRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY SUCH WATERS (CHECK ALL THAT APPLY):** N/A
- F. NON-JURISDICTIONAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY):**  
 If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers  
 Other: (explain, if not covered above):

**SECTION IV: DATA SOURCES.**

- A. SUPPORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked and requested, appropriately reference sources below):**
- Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: Centerpoint Energy  
 Data sheets prepared/submitted by or on behalf of the applicant/consultant.  
 Office concurs with data sheets/delineation report.  
 Office does not concur with data sheets/delineation report.  
 Data sheets prepared by the Corps:  
 Corps navigable waters' study:  
 U.S. Geological Survey Hydrologic Atlas:  
 USGS NHD data.  
 USGS 8 and 12 digit HUC maps.  
 U.S. Geological Survey map(s). Cite scale & quad name: 1:24K MN-COON LAKE BEACH

- USDA Natural Resources Conservation Service Soil Survey. Citation: Anoka County Soil Survey
- National wetlands inventory map(s). Cite name: USFWS NWI & MnDNR NWI Update
- State/Local wetland inventory map(s):
- FEMA/FIRM maps:
- 100-year Floodplain Elevation is: (National Geodetic Vertical Datum of 1929)
- Photographs:  Aerial (Name & Date): 2013 FSA  
or  Other (Name & Date): Google Earth
- Previous determination(s). File no. and date of response letter:
- Applicable/supporting case law:
- Applicable/supporting scientific literature:
- Other information (please specify): Anoka County LiDAR data

**B. ADDITIONAL COMMENTS TO SUPPORT JD:** The bore sites, identified by green dots on the attached figure, are in upland areas and do not contain any wetlands or waters of the U.S. These areas are not designated on the NWI and there are no hydric soils present within these areas.



1. Inlet protection consisting of drop-in bags with emergency overflow or rock logs (or equivalent) must be employed at all storm drains receiving runoff from the construction site.
2. **Concrete jersey barriers and/or mulch logs will be used on the downslope side of the construction area to keep sediments within the workspace.**
3. Sediment tracked from the site will be swept on a daily basis.
4. All spoil piles must have jersey barrier perimeter control on the downslope side.
5. **Soil stabilization to be initiated immediately if the ground will not be worked within 7 days.**

0 100 200 Feet  
1 inch = 200 feet

**Merjent** CenterPoint Energy  
For Environmental Review Purposes Only

**Figure 2**  
**Main South Coon Lake Estates Project**  
**CenterPoint Energy**  
**Site Plan**  
**Anoka County, Minnesota**

Bore/Tie-In Site	10' Contour
Proposed 6" Pipeline - Trench Method	Waterbody
Proposed 6" Pipeline - Bore Method	NWI Wetland
	BMP