

2005 DREDGING SUMMARY - ST. PAUL DISTRICT										
POOL	LOCATION	RIVER MILE	EQUIP.	DATE	DEPTH	CUBIC YARDS	PLCMT. SITE LOC.&TYPE	CATE-GORY	CLASS	JOB TYPE
2	Grey Cloud Slough	827.5-828.0	DUBQ	09/20-10/04	12	17,635	2-827.9-RMP	L3/A	O	R*
2	Pine Bend Landing	824.1-824.6	CM1	09/29-10/04	12	5,923	2-821.5-LMT	L1/B	C	R*
2	Freeborn	818.2-818.8	CM1	09/20-09/27	12	25,217	2-821.5-LMT	L1/B	C	R*
3	Morgans	802.2-802.9	CM1	07/29-08/22	12	27,689	3-799.2-RMT	S/B	C	I*
3	Coulters	801.5-802.0	CM1	08/23-09/19	12	39,456	3-799.2-RMT	S/B	C	I*
3	Diamond Bluff	799.6-800.6	WAT	07/22-07/28	12	65,464	3-799.2-RMT	S/B	C	I*
3	Below Diamond Bluff	799.0-799.4	DUBQ	08/24-09/17	12	29,835	3-799.2-RMT	S/B	C	I*
4	Reads Landing	762.4-762.8	GTZ	07/07-07/13	12	70,525	4-762.7-LWT	L1/S/A	C	I*
4	Crats Island	758.8-759.3	WAT	07/15-07/20	12	74,272	4-759.3-LWT	L1/B	C	I*
4	Teepeeota Point	757.3-757.9	DUBQ	08/12-08/18	12	5,409	4-757.5-LW	A	C	R*
5	Upper Zumbro	749.1-749.7	GTZ	06/28-07/01	12	19,423	5-748.0-RMT	L3/A	C	R*
5	Mule Bend	747.8-749.1	WAT	05/29-06/02	12	36,965	5-748.0-RMT	L3/A	C	I*
5	Mule Bend	747.8-749.1	GTZ	06/02-06/05	12	19,000	5-748.0-RMT	L3/A	C	
5	Mule Bend	747.8-749.1	GTZ	06/13-06/27	12	44,093	5-748.0-RMT	L3/A	C	
5	West Newton	747.3-747.8	GTZ	06/05-06/12	12	41,635	5-748.0-RMT	L3/A	C	I*
5	Below West Newton	746.4-746.7	GTZ	07/02-07/05	12	15,509	5-745.8-RMT	L3/A	C	I*
5	Fisher Island	745.0-745.8	WAT	05/23-05/28	12.1	29,924	5-745.8-RMT	L3/A	C	I*
5	Lower Zumbro	743.6-744.3	WAT	05/15-05/22	12.2	26,960	5-744.7-LWT	L3/A	C	I*
5	Sommerfield	742.9-743.6	CH	08/09-09/01	12.2	58,061	5-743.0-LWP	L3/A	O	I*
5	Minneiska	742.0-742.3	CM1	06/10-06/13	12.3	4,072	5-744.7-LWT	L3/A	C	I*
5	Minneiska	742.0-742.6	CH	09/13-09/21	12.3	23,332	5-743.0-LWP	L3/A	O	
5	Mt. Vernon	740.9-741.3	CM1	06/02-06/09	12.3	11,063	5-744.7-LWT	L3/A	C	I*
5	Mt. Vernon	741.1-741.6	CM1	06/25-07/17	12.3	32,412	5-744.7-LWT	L3/A	C	
5A	Betsy Slough	731.1-731.4	CM1	05/17-05/25	13	13,899	5A-731.9-LWP	S/A	C	I*
5A	Betsy Slough	731.1-731.9	DUBQ	07/29-08/10	13	28,286	5A-731.9-LWP	S/A	C	I*
5A	Betsy Slough	731.1-731.9	GTZ	11/07-11/09	13	24,678	5A-731.9-LWP	S/A	C	
6	Lower Winona	723.4-723.6	CM1	10/21-10/26	12	10,607	6-726.3-RMP	S/A	U	R*
6	Blacksmith Slough	719.1-719.4	CM1	10/27-11/01	12	11,811	6-720.5-RMP	S/B	U	R*
7	Winters Landing	707.5-708.2	CM2	07/19-08/09	12	21,423	7-713.1-RMP	S/B	U	I*
7	Dakota	706.0-706.3	CM2	08/09-08/17	12	17,452	7-713.1-RMP	S/B	U	R*
7	Lower Dresbach Island	703.2-703.5	GM	05/19-05/23	12	500	7-706.5-RMT	S/B	U	I*
8	Root River	693.3-693.6	CM2	09/26-09/30	12	9,957	8-696.1-LWP	S/A	U	I*
8	Above Brownsville	690.0-690.2	GTZ	11/01-11/02	12	35,898	8-690.4-LWT	S/A	C	R*
9	Indian Camp Light	665.1-665.8	CM2	08/25-09/24	12	48,582	9-663.5-LWP	S/A	C	I*
9	Lansing Upper Light	664.1-664.7	GTZ	10/18-10/29	12	56,281	9-663.5-LWP	S/A	C	I*
		WAT/GTZ	DUBQ	GM	CM1/CM2	CH	TOTAL	2005 Beneficial Use Update		
CALENDAR YEAR	MISS. RIVER	560,627	81,165	500	279,563	81,393	1,003,248	Total Beneficial Use		997,839
	MINN. RIVER	0	0	0	0	0	0	Total Quantity Dredged		1,003,248
	ST. CROIX RIVER	0	0	0	0	0	0	Beneficial Use Quantity		99%
	HARBORS	0	0	0	0	0	0			
TOTAL		560,627	81,165	500	279,563	81,393	1,003,248			
FISCAL YEAR	MISS. RIVER	552,309	77,095	500	298,886	81,393	1,010,183	Total Jobs w/Beneficial Use		30
	MINN. RIVER	0	0	0	0	0	0	Total Jobs		31
	ST. CROIX RIVER	0	0	0	0	0	0	Beneficial Use Jobs		97%
	HARBORS	0	0	0	0	0	0			
TOTAL		552,309	77,095	500	298,886	81,393	1,010,183			

* OSIT coordination was completed prior to dredging, dredging practices were routine, placement site used was previously approved, and placement methods did not change from past practice at the site. No after action report will be completed, as all information necessary is contained in this dredging summary.

2006 DREDGING SUMMARY - ST. PAUL DISTRICT										
POOL	LOCATION	RIVER MILE	EQUIP.	DATE	DEPTH	CUBIC YARDS	PLCMT. SITE LOC.&TYPE	CATE-GORY	CLASS	JOB TYPE
MN	Above Savage	14.3-14.7	CM1	08/04-08/06	11	5,006	MN-12-.1-RMP	S/B	U	R*
MN	Cargill	12.7-12.9	CM1	08/03-08/04	11	4,409	MN-12-.1-RMP	S/B	U	R*
MN	Peterson's Bar	11.9-12.4	CM1	07/28-08/02	11	17,667	MN-12-.1-RMP	S/B	U	I*
U	Above Lowry Ave.	856.6-857.1	CM2	08/18-09/05	11	28,926	U-856.6-RMP	S/A	U	I*
2	Pind Bend Landing	824.0-824.5	GTZ	06/30-07/02	12	21,843	2-823.8-LMT	L1/B	C	R*
2	Pine Bend	823.4-823.7	GTZ	07/02-07/05	12	36,533	2-823.8-LMT	L1/B	C	R*
2	Boulangier Bend	820.7-821.4	GTZ	07/07-07/10	12	32,091	2-821.1-LMT	L1/B	C	R*
2	Boulangier Bend Lwr. Lt.	819.0-819.8	GTZ	07/10-07/18	12	74,805	2-821.1-LMT	L1/B	C	R*
3	Coulters Island	801.6-802.0	CM1	08/20-08/27	12	26,176	3-799.2-RMT	S/B	C	I*
3	Diamond Bluff	800.2-800.7	CM1	08/17-08/20	12	12,272	3-799.2-RMT	S/B	C	R*
4	Cannon River	792.7-793.6	CM1	08/28-09/20	12	38,610	4-791.6-RMP	S/A	U	I*
						735	4-794.7-RMP	L2/B	B	
4	Chippewa Delta	763.5	CH	05/17-06/24	9	246,119	4-761.0-RMP	L1/S/A	U	R*
4	Reads Landing	762.4-762.8	GTZ	06/06-06/14	12	68,712	4-762.7-LWT	L1/S/A	C	I*
4	Teepeeota Point	757.0-757.9	CM1	06/18-07/07	12	40,571	4-754.0-LWP	S/A	U	I*
4	Grand Encampment	756.4-756.8	GTZ	06/21-06/27	12	40,500	4-756.5-LWT	L1/A	C	I*
4	Beef Slough	754.0-754.5	CM1	07/07-07/13	12	18,347	4-754.0-LWP	S/A	U	R*
5	Mule Bend	748.0-748.1	CM1	06/12-06/14	12	3,971	5-748.0-RMT	L3/A	C	R*
5	Below West Newton	746.4-746.6	CM1	06/14-06/17	12	7,001	5-748.0-RMT	L3/A	C	R*
5	Fisher Island	745.0-745.3	GTZ	06/16-06/18	12	17,061	5-745.8-RMT	L3/A	C	I*
5	Lower Zumbro	744.1-744.4	CM1	07/09-07/10	12	2,861	5-748.0-RMT	L3/A	C	E*
		744.1-744.4	GTZ	07/22-07/25	12	18,301	5-744.7-LWT	L3/A	C	
5A	Betsy Slough	731.2-731.4	CM1	07/15-07/18	13	17,855	5A-731.9-LWP	S/A	U	R*
7	Lower App. LD 6	713.9-714.1	CM1	09/28-10/02	13	14,412	7-714.1-LWP	S/A	U	R*
8	Sand Slough	694.4-694.5	GM	08/28-08/28	13	1,051	8-693.3-LWP	L1/A	O	R*
8	Picayune Island	690.9-691.2	CM1	10/03-10/11	12	15,477	8-688.7-RMP	S/A	U	R*
9	Indian Camp Light	665.2-665.8	CM1	10/21-10/28	12	7,038	9-670.5-LWP	L1/A	U	I*
						600	9-665.9-RIP	L2/A	B	
						300	9-665.2-RIP	L2/A	B	
						3,200	9-664.3-RIT	S/A	C	
						150	9-664.0-RIP	L2/A	B	
						3,016	9-663.5-LWP	S/A	B	
9	Lansing Upper Light	664.1-664.7	GTZ	08/01-08/09	12	25,745	9-663.5-LWP	S/A	U	I*
		WAT/GTZ	DUBQ	GM	CM1/CM2	CH	TOTAL	2006 Beneficial Use Update		
CALENDAR YEAR	MISS. RIVER	335,591	0	1,051	241,518	246,119	824,279	Total Beneficial Use		851,361
	MINN. RIVER	0	0	0	27,082	0	27,082	Total Quantity Dredged		851,361
	ST. CROIX RIVER	0	0	0	0	0	0	Beneficial Use Quantity		100%
	HARBORS	0	0	0	0	0	0			
	TOTAL	335,591	0	1,051	268,600	246,119	851,361			
FISCAL YEAR	MISS. RIVER	452,448	4,070	1,051	233,644	246,119	937,332	Total Jobs w/Beneficial Use		26
	MINN. RIVER	0	0	0	27,082	0	27,082	Total Jobs		26
	ST. CROIX RIVER	0	0	0	0	0	0	Beneficial Use Jobs		100%
	HARBORS	0	0	0	0	0	0			
	TOTAL	452,448	4,070	1,051	260,726	246,119	964,414			

* OSIT coordination was completed prior to dredging, dredging practices were routine, placement site used was previously approved, and placement methods did not change from past practice at the site. No after action report will be completed, as all info

2007 DREDGING SUMMARY - ST. PAUL DISTRICT										
POOL	DREDGE CUT NAME	RIVER MILE	EQUIP	DATE	DEPTH (FT)	QUANTITY (CY)	PLCMT SITE LOC & TYPE	JOB TYPE*	CAT	PLCMT CLASS
MN	Abv Savage RR Bridge	14.6-14.7	CM1	08/15-08/20	12	8,912	MN-12.1-RMP	E	L1/B	U
MN	Cargill	12.6-12.8	CM1	08/10-08/14	12	7,939	MN-12.1-RMP	E	L1/B	U
MN	Peterson's Bar	12.1-12.3	CM1	09/12-09/14	12	6,636	MN-12.1-RMP	R	L1/B	U
MN	Peterson's Bar	11.8-12.5	CM1	07/29-08/10	12	16,007	MN-12.1-RMP	E	L1/B	U
2	Boulanger Bend Lwr Light	820.0-820.2	CM1	08/22-08/28	12	9,054	2-821.5-LMT	R	S/B	C
2	Freeborn Light	818.4-818.8	CM1	08/28-09/10	12	24,577	2-821.5-LMT	R	S/B	C
3	Coulters Island	801.6-802.0	CM1	09/17-09/26	12	15,601	3-799.2-RMT	I	S/A	C
4	Red Wing SBH	791.1-791.2	CM3	8/20-11/09	6	10,014	4-791.6-RMP	R	L1/A	U
4	Reads Landing	762.6-762.8	GTZ	07/05-07/10	12	20,268	4-762.7-LWT	R	S/A	C
4	Crats Island	758.9-759.2	GTZ	07/12-07/18	12	40,926	4-759.3-LWT	R	S/A	C
4	Teepeeota Point	757.4-757.9	GTZ	07/19-07/30	12	18,273	4-757.5-LWT	R	S/A	C
5	Upper Zumbro	750.0-750.3	CM1	11/06-11/07	12	4,976	5-748.0-RMT	R	S/A	C
5	Mule Bend	748.5-748.9	GTZ	06/22-06/27	12	15,759	5-748.0-RMT	R	S/A	C
5	West Newton	747.8-748.3	GTZ	06/27-07/02	12	16,982	5-748.0-RMT	R	S/A	C
5	Fisher Island	745.0-745.3	GTZ	06/18-06/21	12	24,765	5-744.7-LWT	R	S/A	C
5A	Betsy Slough	731.3-732.0	GTZ	05/30-06/06	13	45,017	5A-731.9-LWP	R	L1/A	U
5A	Betsy Slough	731.0-731.1	GTZ	06/07-06/08	13	7,216	5A-730.5-LWT	R	S/A	C
5A	Wilds Bend	730.3-730.6	GTZ	06/08-06/14	12	30,097	5A-730.5-LWT	R	S/A	C
6	Blw Winona RR Bridge	723.4-723.7	CM1	10/25-10/30	12	5,940	6-726.3-RMP	R	L1/A	U
6	Gravel Point	722.8-723.1	CM1	10/30-11/05	12	9,373	6-726.3-RMP	R	L1/A	U
7	Winters Landing	707.7-708.1	CM1	07/03-07/20	12	32,663	7-714.1-LWP	R	L1/A	U
7	Lower Dresbach Is	703.2-703.6	GM	04/10-05/03	12	5,249	7-706.5-RMT	I	S/A	C
7	Lower Dresbach Is	703.1-703.6	CM1	06/08-07/02	12	31,455	7-714.1-LWP	R	L1/A	U
8	Root River	693.0-693.7	CM1	10/18-10/23	12	5,712	8-696.1-LWP	I	L1/A	U
8	Abv Brownsville	690.0-690.9	GTZ	08/06-08/23	12	51,809	8-690.4-LWT	R	S/A	C
8	Head of Raft Channel	688.0-688.1	CM1	10/11-10/15	12	5,362	8-688.7-RMP	R	L1/A	U
8	Deadmans Slough	686.5-687.5	CM1	09/28-10/10	12	34,246	8-688.7-RMP	R	L1/A	U
9	Indian Camp Light	665.5-665.8	CM1	10/15-10/17	12	9,836	9-663.5-LWP	I	L1/A	U
9	Lansing Upper Light	664.1-664.8	GTZ	08/28-09/07	12	44,806	9-663.5-LWP	I	L1/A	U
10	McMillian Island	618.1-618.9	GTZ	09/12-09/18	12	32,707	10-618.7-RIT	R	S/A	C
		GTZ	DBQ	GM	CM1/2/3	CH	TOTAL	2007 Beneficial Use Update		
2007 CALENDAR YEAR	MISS RIVER	348,625	0	5,249	188,795	0	542,669	Total Beneficial Use 592,177 Total Qnty Dredged 592,177 Beneficial Use Qnty 100%		
	MINN RIVER	0	0	0	39,494	0	39,494			
	ST CROIX RIVER	0	0	0	0	0	0			
	HARBORS	0	0	0	10,014	0	10,014			
TOTAL		348,625	0	5,249	238,303	0	592,177			
% of TOTAL		58.9%	0.0%	0.9%	40.2%	0.0%				
07 FISCAL YEAR	MISS RIVER	348,625	0	5,249	118,350	0	472,224	Total Jobs w/Ben Use 30 Total Jobs 30 Beneficial Use Jobs 100%		
	MINN RIVER	0	0	0	39,494	0	39,494			
	ST CROIX RIVER	0	0	0	0	0	0			
	HARBORS	0	0	0	0	0	0			
TOTAL		348,625	0	5,249	157,844	0	511,718			

* OSIT coordination was completed prior to dredging, dredging practices were routine, placement site used was previously approved, and placement methods did not change from past practice at the site. No after action report will be completed, as all info

2008 DREDGING SUMMARY - ST. PAUL DISTRICT										
POOL	DREDGE CUT NAME	RIVER MILE	EQUIP	DATE	DEPTH (FT)	QUANTITY (CY)	PLCMT SITE LOC & TYPE	JOB TYPE*	CAT	PLCMT CLASS
MN	Above Savage RR Bridge	14.3 - 14.7	CM2	7/30 - 8/6	11	11,785	MN-14.1-RMP	I	L1/A	U
MN	Cargill Slip	12.5 - 13.6	CM2	8/6 - 8/11	11	5,018	MN-14.1-RMP	I	L1/A	U
SAF	Mpls. Turing Basin	856.8 - 857.6	CM2	9/29 - 10/21	12	42,922	U-856.6-RMP	R	L1/A	U
SAF	Above Lowry Ave. Bridge	856.4 - 856.8	CM2	10/21 - 11/3	12	25,919	U-856.6-RMP	R	L1/A	U
2	St. Paul SBH	839.6	CM2	8/12 - 8/21	6	14,769	2-836.3-RMP	I	L1/A	U
2	St. Paul Barge Terminal	837.2 - 837.5	CM2	11/4 - 11/21	12	30,408	2-836.3-RMP	R	L1/A	U
2	Grey Cloud Slough	827.5 - 827.7	CM2	9/23 - 9/26	12	6,669	2-827.5-RMP	R	S/A	C
3	Morgans Coulee	802.6 - 802.9	CM2	7/17 - 7/28	12	16,477	3-799.2-RMT	R	S/A	C
3	Coulters Island	801.5 - 802.0	CM2	7/7 - 7/16	12	19,926	3-799.2-RMT	E	S/A	C
3	Diamond Bluff	800.3 - 800.6	CM2	8/22 - 9/4	12	21,632	3-799.2-RMT	R	S/A	C
4	Reads Landing	762.4 - 762.9	GTZ	7/7 - 7/14	12	35,130	4-762.7-LWT	R	S/A	C
4	Crats Island	758.8 - 759.3	GTZ	7/15 - 7/20	12	30,997	4-759.3-LWT	R	S/A	C
4	Grand Encampment	756.5 - 756.8	GTZ	6/6 - 6/12	12	39,647	4-756.5-LWT	I	S/A	C
4	Beef Slough	754.0 - 754.5	CM2	9/5 - 9/22	12	36,270	4-754.0-LWP	R	L1/A	U
5	Fisher Island	745.0 - 745.7	GTZ	7/21 - 7/28	12	46,336	5-744.7-LWT	R	S/A	C
5	Lower Zumbro	744.1 - 744.5	GTZ	7/29 - 8/2	12	21,243	5-744.7-LWT	R	S/A	C
5A	Betsy Slough	731.1 - 731.4	GTZ	5/29 - 6/5	13	32,005	5A-731.9-LWP	R	L1/A	U
6	Homer	719.7 - 720.8	CM1	10/29 - 12/2	12	36,115	6-726.3-RMP	R	L1/A	U
6	Blacksmith Slough	719.0 - 719.3	CM1	10/9 - 10/29	12	26,982	6-720.5-RMP	R	L1/B	U
6	La Moille Light	716.9 - 717.2	CM1	9/30 - 10/8	12	9,984	6-720.5-RMP	R	L1/B	U
7	Lower Dresbach Island	703.1 - 703.6	CM1	9/11 - 9/30	12	15,489	7-713.1-RMP	R	L1/B	U
						1,900	7-704.6-RMP		L2/B	U
8	Root River	692.9 - 693.5	GM	7/18 - 7/24	12	5,483	8-696.1-LWP	E	L1/A	U
8	Root River	692.9 - 693.5	CM1	7/30 - 8/23	12	25,277	8-696.1-LWP	I	L1/A	U
8	Root River	692.9 - 693.5	CM1	9/8 - 9/9	12	908	8-696.1-LWP	R	L1/A	U
8	Above Brownsville	690.1	CM1	8/23	12	452	8-696.1-LWP	E	L1/A	U
9	Indian Camp Light	665.4 - 665.8	CM1	8/25 - 9/7	12	9,384	9-663.5-LWP	R	L1/A	U
						500	9-665.8-RIP		L2/A	U
						1,500	9-664.6-LWP		L2/A	U
						200	9-664.3-RIT		S/A	C
						2,750	9-664.0-RIP		L2/A	U
9	Lansing Upper Light	663.8 - 664.8	GTZ	8/5 - 8/11	12	51,612	9-663.5-LWP	R	L1/A	U
		GTZ	DBQ	GM	CM1/2	CH	TOTAL	2008 Beneficial Use Update		
2008 CALENDAR YEAR	MISS RIVER	256,970	0	5,483	331,664	0	594,117	Total Beneficial Use 625,689 Total Qnty Dredged 625,689		
	MINN RIVER	0	0	0	16,803	0	16,803			
	ST CROIX RIVER	0	0	0	0	0	0			
	HARBORS	0	0	0	14,769	0	14,769			
	TOTAL	256,970	0	5,483	363,236	0	625,689	Beneficial Use Qnty 100%		
% of TOTAL	41.1%	0.0%	0.9%	58.1%	0.0%					
08 FISCAL YEAR	MISS RIVER	256,970	0	5,483	234,621	0	497,074	Total Jobs w/Ben Use 27 Total Jobs 27		
	MINN RIVER	0	0	0	16,803	0	16,803			
	ST CROIX RIVER	0	0	0	0	0	0			
	HARBORS	0	0	0	19,776	0	19,776			
	TOTAL	256,970	0	5,483	271,200	0	533,653	Beneficial Use Jobs 100%		
* OSIT coordination was completed prior to dredging, dredging practices were routine, placement site used was previously approved, and placement methods did not change from past practice at the site. No after action report will be completed, as all info										

2009 DREDGING SUMMARY - ST. PAUL DISTRICT

POOL	DREDGE CUT NAME	RIVER MILE	EQUIP	DATE	DEPTH (FT)	QUANTITY (CY)	PLCMT SITE LOC & TYPE	JOB TYPE*	CAT	PLCMT CLASS
MN	Above Savage RR Bridge	14.3 - 14.7	CM2	7/27 - 8/5	12	15,241	MN-14.1-RMP	R	L1/A	U
MN	Cargill Slip	12.5 - 12.9	CM2	7/23 - 7/24	11	4,273	MN-14.1-RMP	R	L1/A	U
MN	Petersons Bar	11.8 - 12.4	CM2	7/17 - 7/22	11	7,991	MN-14.1-RMP	R	L1/A	U
MN	Petersons Bar	12.2 - 12.3	CM2	8/6 - 8/7	11	2,122	MN-14.1-RMP	R	L1/A	U
USAF	Mpls Turning Basin	856.8 - 857.2	CM2	9/21 - 10/9	12	37,367	U-856.6-RMP	R	L1/A	U
USAF	Abv Lowry Ave Bridge	856.5 - 856.8	CM2	10/12 10/16	12	12,352	U-856.6-RMP	R	L1/A	U
1	Lower Approach to LSAF	853.0	GM	6/2 - 6/10	13	1,000	1-853.2-LMP	E	L1/A	U
1	Above Lake Street Bridge	849.9 - 850.5	CM2	10/19 - 11/2	12	27,192	1-853.2-LMP	R	L1/A	U
2	St. Paul Barge Terminal	837.0 - 837.6	GTZ	5/20 - 5/29	12	62,111	2-836.3-RMP	R	L1/A	C
2	Pine Bend Landing	824.1 - 824.6	CM2	7/8 - 7/16	12	9,586	2-821.1-LMT	R	S/A	C
2	Access to Lower Boulanger	821.1	CM2	7/6 - 7/7	7	700	2-821.5-LMT	R	S/A	C
						655	2-821.1-LMT	R	S/A	C
2	Freeborn Light	818.8 - 819.1	CM2	8/26 - 9/9	12	23,982	2-821.1-LMT	R	S/A	C
2	Freeborn Light	818.1 - 818.9	CM2	8/10 - 8/26	12	30,205	2-821.1-LMT	R	S/A	C
3	Lower Approach to LD2	814.7 - 815.0	CM2	9/10 - 9/18	13	16,032	3-814.7-RMP	R	L1/A	U
4	Red Wing Hwy Bridge	791.3 - 791.6	CM1	10/19 - 10/23	12	13,984	4-791.6-RMP	R	L1/A	U
4	Crats Island	758.9 - 759.3	GTZ	6/23 - 6/26	12	16,891	4-759.3-LWT	I	S/A	C
4	Teepeeota Point	757.2 - 757.9	GTZ	6/3 - 6/11	12	53,419	4-757.5-LWT	I	S/A	C
4	Grand Encampment	755.7 - 756.8	GTZ	6/12 - 6/22	12	59,081	4-756.5-LWT	I	S/A	C
5	Upper Zumbro	749.5 - 749.8	CM1	10/12 - 10/15	12	8,841	5-749.8-RMP	R	L1/A	U
5	Mule Bend	748.2 - 748.9	GTZ	6/30 - 7/7	12	27,651	5-748.0-RMT	R	S/A	C
5	Fisher Island	745.0 - 745.8	GTZ	7/8 - 7/13	12	22,230	5-744.7-LWT	R	S/A	C
5	Lower Zumbro	744.2 - 744.6	GTZ	7/14 - 7/15	12	6,540	5-744.7-LWT	R	S/A	C
5A	Betsy Slough	731.2 - 731.9	GTZ	7/16 - 7/17	13	12,232	5A-731.9-LWP	R	L1/A	C
5A	Betsy Slough	731.2 - 731.4	GM	8/5 - 9/1	13	20,866	5A-731.9-LWP	I	L1/A	C
5A	Betsy Slough	731.8 - 731.9	GM	11/2/2009	13	658	5A-733.5-LWP	R	L1/A	C
5A	Wilds Bend	730.4 - 730.7	CM1	9/28 - 10/9	12	3,000	5A-733.5-LWP	R	L1/A	U
						17,121	5A-731.9-LWP	R	L1/A	C
6	Below Winona RR Bridge	722.7 - 723.7	CM1	5/26 - 6/10	12	24,113	6-726.3-RMP	R	L1/A	U
6	Gravel Point	721.9 - 722.2	GM	4/28 - 5/21	12	12,685	6-720.5-RMP	I	L1/B	U
7	Lower Approach to LD6	713.9 - 714.0	CM1	8/25 - 9/4	13	13,222	7-714.1-LWP	R	L1/A	U
7	Winters Landing	707.8 - 708.8	CM1	9/21 - 9/25	12	9,923	7-714.1-LWP	R	L1/A	U
7	Dakota	706.0 - 706.6	CM1	9/15 - 9/16	12	3,051	7-714.1-LWP	R	L1/A	U
7	Dresbach	704.0 - 704.5	CM1	9/8 - 9/14	12	12,543	7-714.1-LWP	R	L1/A	U
8	Sand Slough	694.6	GM	10/1/2009	13	404	8-688.7 - RMP	R	L1/A	C
8	Root River	693.1 - 693.5	CM1	8/17 - 8/20	12	6,639	8-696.1-LWP	R	L1/A	U
8	Picayune Island	690.7 691.3	CM1	7/23 - 8/13	12	34,419	8-688.7-RMP	R	L1/A	C
8	Above Brownsville	690.0 - 690.2	CM1	7/15 - 7/22	12	18,754	8-688.7-RMP	R	L1/A	C
8	Brownsville	688.6 - 689.3	CM1	7/6 - 7/14	12	17,362	8-688.7-RMP	R	L1/A	C
8	Head of Raft Channel	687.5 - 688.2	CM3	6/4 - 9/9	14	131,626	8-683.8-RWP	R	L3/A	C
9	Indian Camp Light	665.2 - 665.8	CM1	6/11 - 6/24	12	17,929	9-663.5-LWP	R	L1/A	C
9	Lansing Upper Light	664.4 - 664.7	CM1	6/24 - 7/2	12	14,733	9-663.5-LWP	R	L1/A	C
10	Mississippi Gardens	642.8 - 843.4	CM1	10/28 - 11/2	12	1,558	10-642.4-LWP	I	L1/B	U
10	McMillan Island	618.2 - 619.1	GTZ	10/19 - 10/23	12	20,920	10-618.7-RIT	R	L1/A	U
10	McMillan Island	618.9 - 619.1	CM1	11/3 - 11/6	12	7,169	10-618.7-RIT	R	L1/A	U
		GTZ	DBQ	GM	CM1/2/3	CH	TOTAL	2009 Beneficial Use Update		
2009 CALENDAR YEAR	MISS RIVER	281,075	0	35,613	514,058	0	830,746	Total Beneficial Use 860,373 Total Qnty Dredged 860,373 Beneficial Use Qnty 100%		
	MINN RIVER	0	0	0	29,627	0	29,627			
	ST CROIX RIVER	0	0	0	0	0	0			
	HARBORS	0	0	0	0	0	0			
TOTAL		281,075	0	35,613	543,685	0	860,373			
% of TOTAL		32.7%	0.0%	4.1%	63.2%	0.0%				
09 FISCAL YEAR	MISS RIVER	260,155	0	34,551	593,201	0	887,907	Total Jobs w/Ben Use 40 Total Jobs 40 Beneficial Use Jobs 100%		
	MINN RIVER	0	0	0	29,627	0	29,627			
	ST CROIX RIVER	0	0	0	0	0	0			
	HARBORS	0	0	0	0	0	0			
TOTAL		260,155	0	34,551	622,828	0	917,534			

* OSIT coordination was completed prior to dredging, dredging practices were routine, placement site used was previously approved, and placement methods did not change from past practice at the site. No after action report will be completed, as all info