

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT			1. CONTRACT ID CODE	PAGE OF PAGES
			J	1 2
2. AMENDMENT/MODIFICATION NO. 0002	3. EFFECTIVE DATE 24-Mar-2003	4. REQUISITION/PURCHASE REQ. NO. W81G67-2212-3587		5. PROJECT NO.(If applicable)
6. ISSUED BY CONTRACTING DIVISION USACE - ST PAUL 190 5TH STREET E ST PAUL MN 55101-1638	CODE DACW37	7. ADMINISTERED BY (If other than item 6) See Item 6		
8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code)		X	9A. AMENDMENT OF SOLICITATION NO. DACW37-02-B-0016	
		X	9B. DATED (SEE ITEM 11) 10-Mar-2003	
			10A. MOD. OF CONTRACT/ORDER NO.	
			10B. DATED (SEE ITEM 13)	
CODE	FACILITY CODE	11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS		
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offer <input type="checkbox"/> is extended, <input checked="" type="checkbox"/> is not extended. Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing Items 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.				
12. ACCOUNTING AND APPROPRIATION DATA (If required)				
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.				
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.				
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).				
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:				
D. OTHER (Specify type of modification and authority)				
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input type="checkbox"/> is required to sign this document and return _____ copies to the issuing office.				
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.) This amendment is to make changes to the solicitation.				
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.				
15A. NAME AND TITLE OF SIGNER (Type or print)		16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)		
		TEL: _____ EMAIL: _____		
15B. CONTRACTOR/OFFEROR	15C. DATE SIGNED	16B. UNITED STATES OF AMERICA		16C. DATE SIGNED
_____ (Signature of person authorized to sign)		BY _____ (Signature of Contracting Officer)		24-Mar-2003

SECTION SF 30 BLOCK 14 CONTINUATION PAGE

SUMMARY OF CHANGES**The following changes have been made to the solicitation specifications:****1.) Drawing Number R-P-WB-64/125, Coordinate E-4.**

Change note from

“42” RCP CULVERT

DWG. # 64/137

PROFILE”

to

“42” RCP CULVERT

DWG. # 64/137

PROFILE

REMOVE EXISTING CULVERT”

2.) Specification Section 02532, paragraph 1.1 REFERENCES.

Add the following to the list of references under the heading AMERICAN SOCIETY FOR TESTING AND MATERIALS (ASTM):

“ASTM C923 (1998) Resilient Connectors Between Reinforced Concrete Manhole Structures, Pipes and Materials”

3.) Specification Section 02532, paragraph 2.4 VALVE MANHOLES

Revise the paragraph text to read as follows:

“Valve manholes shall be precast concrete units conforming to ASTM C 478. Flexible, watertight connectors used for connecting pipe to manholes and inlets shall conform to ASTM C 923.”

4.) Specification Section 02532, paragraph 3.1.9 Installation of Valve Manholes

Revise the paragraph text to read as follows:

“Valve manholes shall be installed as indicated. Pipe connections to concrete manholes and inlets shall be made with flexible, watertight connectors.

5.) Specification Section 02630, paragraph 1.1 REFERENCES

Delete the following reference:

“ASTM C923 (1998) Resilient Connectors Between Reinforced Concrete Manhole Structures, Pipes and Materials”

6.) Specification Section 02630, paragraph 2.5 RESILIENT CONNECTORS

Change the title of this paragraph from “RESILIENT CONNECTORS” to “NOT USED” and delete all text from paragraph.

7.) Specification Section 02630, paragraph 3.5.1 Manholes and Inlets

Revise paragraph to read as follows:

“Construction shall be of precast reinforced concrete, complete with frames and covers or gratings; and with fixed galvanized steel ladders. Pipe connections to concrete manholes and inlets shall be made with mortar connections.

(End of Summary of Changes)